



## Adaptor M12 female 0° X-cod. / RJ45 0°

8-pol., shielded, CAT6A


Adapter  
M12 – RJ45  
Female straight – female straight  
8-pole  
X-coded  
Gigabit  
Ethernet CAT6A  
shielded  
Cap nut

### Länk till produkt

#### Illustration



Produkten kan skilja sig från bilden



#### Side 1

|                          |     |
|--------------------------|-----|
| Family construction form | M12 |
| Coding                   | X   |

#### Kommersiella uppgifter

|            |          |
|------------|----------|
| ECLASS-6.0 | 27143423 |
| ECLASS-6.1 | 27279221 |
| ECLASS-7.0 | 27440104 |

|                    |               |
|--------------------|---------------|
| ECLASS-8.0         | 27440104      |
| ECLASS-9.0         | 27440106      |
| ECLASS-10.1        | 27440106      |
| ECLASS-11.1        | 27440106      |
| ECLASS-12.0        | 27440106      |
| ETIM-5.0           | EC002640      |
| Förpackningsenhet  | 1             |
| GTIN               | 4048879699402 |
| Kundens tullnummer | 85366990      |

**Electrical data | Supply**

|                        |        |
|------------------------|--------|
| Operating current max. | 1,75 A |
|------------------------|--------|

**Industrial communication**

|                     |          |
|---------------------|----------|
| Supported protocol  | Ethernet |
| Transfer parameters | CAT6A    |

**Installation | Connection**

|                    |      |
|--------------------|------|
| Width across flats | SW18 |
|--------------------|------|

**Important installation notes**

|                        |                                                                                                                                                       |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| Note on strain relief  | Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties.                                                   |
| Note on bending radius | <b>Attention:</b> Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces. |